

Numerical Weather Predictions

Noura Alkaabi

Numerical Modelling Section

n.alkaabi@met.gov.om







Content

- Numerical Weather Prediction.
- What HPC ?
- Supercomputer Examples.
- Basic Principles in NWP.
- Different Numerical Models.
 - Weather Models
 - Wave Models
 - Ocean Models
 - Tsunami Models
 - Flash Flood Models
 - Search and Rescue Model
 - Dispersion Models
- NWP Models Available in DGMet

Numerical Weather Prediction

Numerical weather prediction (NWP) is a method of weather forecasting that employs a set of equations that describe the flow of fluids. These equations are translated into computer code and use governing equations, numerical methods, parameterizations of other physical processes and combined with initial and boundary conditions before being run over a domain (geographic area). The most important tool for weather forecasting around the world.



Numerical Weather Forecast Model (governing equations)

Momentum equations

$$\frac{\partial u}{\partial t} = -u \frac{\partial u}{\partial x} - v \frac{\partial u}{\partial y} - w \frac{\partial u}{\partial z} - \frac{1}{\rho} \frac{\partial p}{\partial x} + fv$$

$$\frac{\partial v}{\partial t} = -u \frac{\partial v}{\partial x} - v \frac{\partial v}{\partial y} - w \frac{\partial v}{\partial z} - \frac{1}{\rho} \frac{\partial p}{\partial y} - fu$$

$$\frac{\partial w}{\partial t} = -u \frac{\partial w}{\partial x} - v \frac{\partial w}{\partial y} - w \frac{\partial w}{\partial z} - \frac{1}{\rho} \frac{\partial p}{\partial z} - g$$

Mass continuity equation

$$\frac{\partial \rho}{\partial t} = -u \frac{\partial \rho}{\partial x} - v \frac{\partial \rho}{\partial y} - w \frac{\partial \rho}{\partial z} - \rho \nabla \cdot \vec{V}$$

Moisture equation

$$\frac{\partial q}{\partial t} = -u \frac{\partial q}{\partial x} - v \frac{\partial q}{\partial y} - w \frac{\partial q}{\partial z} + micro(q)$$

Ideal gas law


$$p = \rho RT$$

Thermodynamic equation

$$\frac{\partial \theta}{\partial t} = -u \frac{\partial \theta}{\partial x} - v \frac{\partial \theta}{\partial y} - w \frac{\partial \theta}{\partial z} + \dot{Q}$$

What is HPC?

- Definition: High-Performance Computing refers to the use of supercomputers and parallel processing techniques to solve complex computational problems.
- Key Points:
 - Enables solving complex problems faster.
 - Used in various fields like weather forecasting, drug discovery, and engineering simulations.



Supercomputer Examples

- **Location:** Oak Ridge National Laboratory
 - Tennessee, U.S.
- **Performance:** 1,194 petaFLOPS (1.2 exaFLOPS) =
- **Components:** AMD EPYC 64-core CPUs and AMD Instinct MI250X GPUs
- **First online:** August 2022

1 petaFLOPS is equal to 1,000,000,000,000,000 FLOPS



Supercomputers can be one million times more processing power than the fastest laptop.

Your laptop might have one central processing unit (CPU) and one graphics processing unit (GPU), but one supercomputer may have thousands upon thousands of CPUs and GPUs

Supercomputer Examples




01




Basic Principles in NWP

مفاهيم أساسية في التنبؤات العددية


النقاط الشبكية Grid point




The models divide the area of interest into a set of grids, the importance of the number of discrete grid points in order for the model to best represent the atmospheric structures. There are different grid shapes used in numerical models; e.g., rectangular, triangular, and hexagonal



هي نقاط منفصلة وتمثل هيكل النموذج العددي لمنطقة معينة او لكل الكرة الأرضية، يتم فيها حل معادلات الطقس لتمثيل حالة الغلاف الجوي بالشكل الأفضل. عندما يكون النموذج العددي على الدقة فإنه يتطلب المزيد من النقاط الشبكية. أمثلة عليها: المستطيلة/ المربعة، والمثلثة، والسداسية.





الدقة المكانية Spatial Resolution



3D cubes of the atmosphere used by NWP models

A grid point model's resolution is defined as the average distance between adjacent grid points with the same variables.




يتم تقسيم الغلاف الجوي الى نقاط بشكل افقي و عمودي
المسافة بين النقاط هي التي تحدد مستوى الدقة في النماذج العددية
كل النقط تحتوي على كل المعلومات اللازمة لتشغيل النماذج العددية



1. الدقة الأفقيّة Horizontal Resolution
2. الدقة الرأسية Vertical Resolution

الدقة المكانية Spatial Resolution


Orography



Constant Data

orography is a fundamental aspect of NWP that significantly influences weather patterns and forecasting accuracy, particularly in regions with complex terrain. Advances in model resolution, parameterizations, and Computational capabilities continue to improve the representation and impact of orography in weather prediction models.

النطاق والبيانات الحدودية Domain and Boundary Conditions



Domain and Boundary Conditions

Model domain refers to a model's area of coverage.

Limited-area models have horizontal and vertical boundaries, whereas global models, which by nature cover the entire earth.

Boundary conditions are a function of surface physics parameterizations.

نطاق النموذج هو منطقة تغطية النموذج. النماذج ذات المساحة المحدودة LAM لها حدود، في حين أن النماذج العالمية Global Models فهي تغطي الأرض بأكملها.

المعلمات Parameterization




A model cannot resolve any of these local flows, swirls, or obstacles if they exist within a grid box. The method of accounting for such effects without directly forecasting them is called **parameterization**.

في هذا المثال يتضح التدفق المعدن حول المبني:

1. الاحتكاك أو القوة المقاومة الذي تسببه الأشجار العالية
2. دوامات هوائية تنشأ حول المبني
3. الاحتكاك أو القوة المقاومة السطحية

لذلك لا يمكن للنموذج حل أي من التدفقات المحلية أو الدوامات الهوائية المحلية أو العوائق إذا كانت موجودة داخل شبكة النموذج العددي. ومع ذلك، يجب أن يأخذ النموذج في الاعتبار التأثير الإجمالي باستخدام طريقة حساب هذه التأثيرات دون التنبؤ بها بشكل مباشر بالمعاملات.

عدم اليقين (نسبة الخطأ)



Smaller numbers indicate greater skill


كل ما قلت القيمة زادت دقة النموذج

NWP models are representations of the atmosphere. They are always wrong. The issue is not whether or not a model is 100% correct, but they have skill.


النماذج العددية تمثل الغلاف الجوي. لذلك لا يوجد نموذج صحيح بنسبة 100% ولكن هناك نسبة خطأ يتم من خلالها معرفة النموذج الأقرب للواقع.

البيانات الأولية Initial Data

- The **actual situation** used by the model to start integrate equations.
- It is created by techniques called **data assimilation**.
- The information used to create initial data are:
 - **GTS data** (Conventional observations) :
SYNOP, SHIP, BUOY, TEMP, PILOT, AMDAR,...)
- The process of initial data creation (analysis and data assimilation) is more **complicate** than the forecast model itself, and more **consumer in term of CPU time**.




البيانات الأولية Initial Data




البيانات الأولية Initial Data

ECMWF Data Coverage (All obs DA) - SYNOP/SHIP
11/SEP/2010; 12 UTC
Total number of obs = 33757



ECMWF data coverage (all observations) - AIRCRAFT
2022011021 to 2022011103
Total number of obs = 448753



أهم مصادر الخطأ في النموذج

1. Errors in initial conditions

- Inadequate spatial density
- Instrument error/data transmission problems
- Quality control errors

1. أخطاء في البيانات الأولية
 توزيع ونطاقية الرصدات غير كافٍ.
 عدد الرصدات خلال اليوم غير كافٍ.
 أخطاء فنية في الأجهزة / مشاكل في نقل
 البيانات.
 أخطاء في ضبط الجودة.


2. Errors in the model

- Boundary conditions
- Inadequate terrain representation
- Large-scale precipitation processes not well estimated
- Shortcomings of convective parameterizations

2. أخطاء في النموذج العددي وتتضمن:
 خطأ في البيانات الحدودية.
 تمثيل التضاريس غير دقيق.
 عمليات هطول الأمطار واسعة النطاق لم يتم تقديرها بشكل جيد.
 أوجه القصور في المعلمات.

أساسيات الخرائط العددية

NWP Maps Basics



NWP Maps basics information:



1. Parameter Name + unit
2. Layer Height
3. Run Time
4. Validity Time
5. Model Name and Resolution
6. Colour Scale (if applicable)

خرائط مُخرجات نماذج الطقس العددية
 تأتي بمعلومات والتي من دونها ستكون
 مبهمة للمُستخدم وأهمها:

1. اسم العنصر ووحدة القياس.
2. ارتفاع الطبقة سواء كان بمستويات الضغط أم بالمتر.
3. تاريخ وساعة التشغيل.
4. وقت الصلاحية.
5. اسم النموذج والدقة المكانية.
6. دليل الألوان إن وجد تدرج.

Numerical Models




- Weather Models
- Wave Models
- Ocean Models
- Tsunami Models
- Flash Flood Models
- Search and Rescue Model
- Dispersion Models



Weather Models

- Temperature
- Wind
- Precipitation
- Humidity

- * Provide many outputs for Tropical Cyclone:
 - Possible Tracks
 - Tropical Cyclone strength
 - Arrival time
 - Rainfall amounts




Sea and Ocean Models

- Numerical models provide detailed predictions of sea conditions, such as: wave height, surface wind speed, and the time period between waves.
- It directly serves fishermen and maritime traffic, as well as all maritime activities such as competitions and others.

*Special models for Tropical Cyclone:

- Storm Surge
- Inundation






Tsunami Models

Numerical models of tsunamis simulate the wave from the deformation through propagation until it reaches the coasts.

These models can calculate:


- Wave height at the coast
- Inundation Area/distance
- The arrival time of the wave



COMCOT IHC v1.6 © Early Warning and Wave Group
(NWP Section)

Flash Flood Models


The flash flood prediction system is an indicator of the possibility of a flood occurring in a specific area during the next 6 hours, by calculating the total volume of precipitation that is sufficient for a flood to occur.



Final submission by December, 2024



Search and Rescue



Gives Forward trajectory and Back trajectory for:

Missing ships
Drown people
Oil spills




Is **not** operational yet

Search and Rescue

Output of the Opendrift model
for missing boat with 2 fishermen
onboard.



Date: 6-8-2024

Location: NE Qurum



Fire Plume and Dispersion Model

One of the important needs of air quality modeling is to develop further integrated modeling systems that can be used to understand the impacts from aerosols and gas-phase compounds emitted from urban sources at/on the regional and global climate.



NWP Models Available in DGMet

منظومة النماذج العددية



<u>NWP Models Available in DGMet</u>	Resolution	Forecast Days	Run Time	Start (Local)	Finish (Local)
Model					
COSMO Regional	7 km	7 days	00, 12	06:43 AM, PM	07:54 AM, PM
COSMO Local	2.8 km	3 days	00, 12	06:44 AM, PM	07:23 AM, PM
WAM-4 Regional	14 km	5 days	00, 12	07:44 AM, PM	07:46 AM, PM
WAM-4 Local	Oman Limited Area Model		00, 12	07:49 AM, PM	07:50 AM, PM
ICON-OM Regional	نماذج عددية عمانية محدودة النطاق		00, 12	07:46 AM, PM	09:13 AM, PM
ICON-OM Local	2 km	3 days	06, 18	12:56 PM, AM	01:37 PM, AM
WAM-6 Regional	7 km	7 days	00, 12	09:24 AM, PM	09:48 AM, PM
WAM-6 Local	2 km	3 days	06, 18	01:44 PM, AM	01:55 PM, AM
UAE COSMO	UAE Limited Area Model		00, 12	06:45 AM, PM	07:30 AM, PM
ECMWF (EU)	9 km	10 days	00, 12	09:40 AM, PM	12:06 PM, AM
UNIFIED (UK)		3 days	06, 18	05:30 PM, AM	07:30 PM, AM
ICON (GR)	20 km	7 days	00, 12	08:35 AM, PM	08:55 AM, PM
GFS (US)		3 days	06, 18	02:30 PM, AM	02:40 PM, AM
WATCHIII (US)	35km	6 days	00, 12	08:30 AM	9:30 AM
EGRR (UK)		10 days	00, 12	07:28 AM	08:34 AM
NEMO Ocean	10 km	7 days	00	09:45 AM	10:15 AM
			00	07:22 AM	08:56 AM
			12	07:21 PM	08:54 PM
			00	10:00 AM	03:00 PM



Thank You